第 30 卷 第 2 期　　昆 虫 学 报　　Vol. 30, No. 2
1987 年 5 月　　ACTA ENTOMOLOGICA SINICA　　May, 1987

盗毒蛾属一新种

(鳞翅目:毒蛾科)

赵 仲 苓
(中国科学院动物研究所)

本文记述盗毒蛾属 (*Porthesia* Stephens) 一新种。模式标本保存于中国科学院动物研究所。

小盗毒蛾 *Porthesia pulchella* sp. nov. (图 1)

本新种与盗毒蛾 (*Porthesia similis* Fueszly) 相似,但不同在于:头部、胸部和腹部白色混有黑棕色,肛毛簇白色;前翅白色,三角形,在中室 M_3 脉起点上方、翅顶角和外缘稀布黑棕色鳞片,翅后缘密布黑棕色鳞片;后翅白色,后缘密布黑棕色鳞片;而后者头部、胸部和腹部基部白色,腹部其余部分和肛毛簇黄色;前翅白色,在翅后缘具两个棕色点;后翅白色。雄性外生殖器完全不同,钩形突长而宽、囊形突很窄长;而后者钩形突短而小,囊形突较长宽。

正模♂和副模♂,云南屏边大围山,1500 米,1956. VI. 20,黄克仁采。



图 1　小盗毒蛾 *Prothesia pulchella* sp. nov. 雄性外生殖器

本文于 1984 年 12 月收到。

A NEW SPECIES OF THE GENUS *PORTHESIA* FROM CHINA (LEPIDOPTERA: LYMANTRIIDAE)

CHAO CHUNG-LING

(Institute of Zoology, Academia Sinica)

Porthesia pulchella sp. nov.

This new species resembles *Porthesia similis* Fueszly, but can be distinguished from the latter by: the body is white mixed with black-brown, the anal tuft is white; fore wing triangular, white, sparsely irrorated with black-brownish scales on the discocellulars just above the origin of vein M_3, on the inner margin area irrorated very thickly with black-brownish scales; hind wing white, on the inner margin area irrorated very thickly with black-brown; whereas in *Porthesia similis* the head and thoax white, abdomen and anal tuft yellow, white at the base, fore wing white on the inner margin with two brown spots, hind wing white. The male genitalia differs, uncus very long and broader, saccus very narrow and long; whereas in latter uncus very short and small, saccus very broad and long.

Holotype ♂, & paratype ♂, Pingbian, Yunnan, 1500 m, 20. VI. 1956, collected by Huang Ke-re, deposited in the Institute of Zoology, Academia Sinica.